

Counting $(0, 1)$ -matrices avoiding α of size greater than 1

Hyeong-Kwan Ju*

Department of Mathematics
Chonnam National University,
Kwangju 500-757, South Korea

hkju@chonnam.ac.kr

Seunghyun Seo[†]

Department of Mathematics Education
Kangwon National University
Chuncheon 200-701, South Korea

shyunseo@kangwon.ac.kr

December 10, 2011

Mathematics Subject Classifications: 05A15, 05A19, 05B20

Abstract

We enumerate the number of $(0, 1)$ -matrices avoiding a set α of 2×2 submatrices satisfying $|\alpha| \geq 2$. We also provide corresponding exponential generating functions. This paper is a kind of appendix of [1].

1 Introduction

This paper is a kind of appendix of [1]. So we will omit introductory parts. Until now we collect the result for $|\alpha| = 2$. We will update the result for $|\alpha| \geq 3$ soon or later.

2 Avoiding 2-subsets of \mathcal{S}

There are twentyone 2-subsets α of \mathcal{S} . Among them, there are three “symmetric” (under transpose and 0/1-swapping) subsets, which are $\{\Gamma, C\}$, $\{T, L\}$, and $\{J, O\}$. For the 18 remaining cases, the following equations are easily obtained.

1. $\phi(k, n; \Gamma, J) = \phi(k, n; C, O)$
2. $\phi(k, n; T, J) = \phi(k, n; T, O) = \phi(n, k; L, J) = \phi(n, k; L, O)$
3. $\phi(k, n; I, \Gamma) = \phi(k, n; I, C)$

*This study was financially supported by Chonnam National University, 2008-2329.

[†]This study was supported by 2008 Research Grant from Kangwon National University.

4. $\phi(k, n; I, T) = \phi(n, k; I, L)$
5. $\phi(k, n; I, J) = \phi(k, n; I, O)$
6. $\phi(k, n; \Gamma, T) = \phi(k, n; C, T) = \phi(n, k; \Gamma, L) = \phi(n, k; C, L)$
7. $\phi(k, n; \Gamma, O) = \phi(k, n; C, J)$

Thus it is enough to count 10 cases.

2.1 $\{\Gamma, C\}$ -avoiding matrices

See [1, subsection 3.2].

2.2 $\{T, L\}$ -avoiding matrices

See [1, subsection 3.4].

2.3 $\{J, O\}$ -avoiding matrices

See [1, subsection 3.5].

2.4 $\{\Gamma, J\}$ -avoiding matrices

$$\phi(k, n; \Gamma, J) = \sum_{l, m} \binom{k}{l} \binom{n}{m} (n - m + 1)^{k-l} S_{\geq 2}(m, l)$$

where $S_{\geq 2}(m, l)$ is the number of set partitions of $[m]$ into l non-singleton blocks.

$$\Phi(x, y; \Gamma, J) = \exp(ye^x + xe^y - xy)$$

$$\Phi(z; \Gamma, J) = \text{very hard}$$

2.5 $\{T, J\}$ -avoiding matrices

$$\phi(k, n; T, J) = (n + 1)^k + kn(n - 1)(2^{k-2} - 1) + nr(k, n - 1) - n$$

where $r(k, n)$ is the number of rook positions in a $k \times n$ chessboard.

$$\Phi(x, y; T, J) = \text{complicated}$$

$$\Phi(z; T, J) = \frac{z}{(1 - z)^2} e^{\frac{z}{1-z}}$$

2.6 Remaining five cases

To enumerate the remaining five cases is straightforward. We omit the calculation and only write each result.

2.6.1 $\{I, \Gamma\}$ -avoiding matrices

$$\begin{aligned}\phi(k, n; I, \Gamma) &= (2^k - 1)(2^n - 1) + 1 \\ \Phi(x, y; I, \Gamma) &= (e^{2x} - e^x)(e^{2y} - e^y) + e^{x+y} \\ \Phi(z; I, \Gamma) &= e^{4z} - 2e^{2z} + 2e^z\end{aligned}$$

2.6.2 $\{I, T\}$ -avoiding matrices

$$\begin{aligned}\phi(k, n; I, T) &= 2^n(n 2^{k-1} - n + 1) \\ \Phi(x, y; I, T) &= (1 - 2y + y e^x)e^{x+y} \\ \Phi(z; I, T) &= (1 - 2z + 2z e^{2z})e^{2z}\end{aligned}$$

2.6.3 $\{I, J\}$ -avoiding matrices

$$\begin{aligned}\phi(k, n; I, J) &= (n(2^k - 1) + 1)(k(2^n - 1) + 1) - kn \\ \Phi(x, y; I, J) &= (1 - x + x e^y)(1 - y + y e^x)e^{x+y} - xy e^{x+y} \\ \Phi(z; I, J) &= e^{2z}(1 - 2z + 2z e^{2z})\end{aligned}$$

2.6.4 $\{\Gamma, T\}$ -avoiding matrices

$$\begin{aligned}\phi(k, n; \Gamma, T) &= (n + 1)^k + 2^n - n - 1 \\ \Phi(x, y; \Gamma, T) &= \exp(ye^x + x) + e^{x+2y} - (1 + y)e^{x+y} \\ \Phi(z; \Gamma, T) &= W'(-z) + e^{2z} - (1 + z)e^z\end{aligned}$$

where $W(x)$ is the Lambert W -function which is the inverse function of $f(W) = We^W$.

2.6.5 $\{\Gamma, O\}$ -avoiding matrices

$$\begin{aligned}\phi(k, n; \Gamma, O) &= (k + 1)(n + 1) + kn + \delta_{k,3}\delta_{n,3} \\ \Phi(x, y; \Gamma, O) &= (1 + x + y + 2xy)e^{x+y} + x^3y^3 \\ \Phi(z; \Gamma, O) &= (1 + 4z + 2z^2)e^z + z^3\end{aligned}$$

References

- [1] H. Ju and S. Seo, Enumeration of $(0,1)$ -matrices avoiding some 2×2 matrices,
<http://arxiv.org/abs/1107.1299v2>